

STOMA CARE ACCESSORY ITEMS FOR ADULTS PREFERRED PRESCRIBING LIST (PPL)

Coventry & Warwickshire
Area Prescribing Committee

Clinical Guideline – CG025

Preferred products have been identified for each section below; a price cap is indicated allowing the choice of alternatives below the cap
This allows further options to accommodate patient preference.

PPL PRODUCT	CODE	USUAL MONTHLY QUANTITY	NOTES
SKIN PROTECTIVES - Silicone based			
Wipes (Price capped at £22.00) Salts Healthcare: Salts Barrier Film Wipes (formerly Peri-Prep Sensitive no-sting protective film wipes) (30 wipes/pack)	PPS1	30-60 wipes per month Maximum 1 wipe per day (colostomy patients 2 wipes per day)	<p>SHORT TERM USE ONLY. If used for more than 3 months then contact stoma care nurse for advice.</p> <ul style="list-style-type: none"> Wipes can be applied with topical precision and are preferred to sprays for stoma use, but are more expensive. Both wipes and sprays should not be required. Sprays reduce adhesion of pouches and are therefore not recommended The product remains on the skin and does not need to be re-applied at each bag change. Skin protective wipes are often used incorrectly as antiseptic cleaning wipes. They do not contain antiseptic lotion and are not moist enough for cleaning purposes. Calamine lotion may be advised by specialist stoma nurses for OTC purchase. Apply sparingly, allow to dry before applying the pouch. <ul style="list-style-type: none"> Creams/Pastes reduce the adhesiveness of bags or flanges and are not usually recommended, however sometimes a moisturizer is required if skin is very dry. If a patient is regularly using skin protectant paste, they may be experiencing leakage. Consider referral to a stoma nurse for a bag review. Consult a specialist stoma nurse if cream is needed, short-term use only, not for repeat prescription. <ul style="list-style-type: none"> Consult a specialist stoma nurse if cream is needed, short-term use only, not for repeat prescription. Powders are used for sore, wet skin, if a patient is regularly using a powder, they may be experiencing leakage. Consider referral to a stoma nurse for a bag review.
Medicareplus International Ltd: Medi Derma-S Non Sting Medical Barrier Film Wipes (30 wipes/pack)	60307		
Respond Healthcare Ltd: OstoMart OstoGuard No sting protective skin barrier film (3ml sachet, 30 sachets/pack)	RMC3		
Creams (Price capped at £11.00) Ilex Health Products Ltd: Ilex Skin Protectant Paste 57g	IP51	1 tube, acute prescription	
Opus Healthcare: LaVera Barrier Cream 100g	3301		
Respond Healthcare Ltd: OstoMart Astoa Barrier Cream 100g	ABC100		
Powders (Price capped at £3/25g) ConvaTec Ltd: Orahesive Powder 25g	S106	1 container, acute prescription	
Oakmed Ltd: Stoma Powder 30g	OSP		
Hollister Ltd: Adapt Stoma Powder	7906		
Coloplast Ltd: Brava Ostomy Powder 25g	1907		
Respond Healthcare: OstoMart OstoSEAL Protective Powder 50g	ABP2		

<p>ADHESIVE REMOVERS Sprays (Price capped at £7.00)</p> <p>Dansac Ltd: Dansac EasiSpray adhesive remover (50ml)</p> <p>Opus Healthcare: Lift Plus 360 Citrus Medical Adhesive Remover (50ml) Lift Plus 360 Medical Adhesive Remover (50ml)</p> <p>Salts Healthcare: Salts Adhesive Remover Spray (formerly WipeAway Plus No-Sting Adhesive Remover Spray)(50ml)</p> <p>Respond Healthcare Ltd: OstoMart OstoPEEL No Sting Medical Adhesive Remover Spray (50ml) Apple Blackberry Mint No Fragrance</p> <p>Wipes (Price capped at £11.50)</p> <p>Salts Healthcare: Salts Adhesive Remover Wipes (formerly WipeAway Plus No-Sting Adhesive Remover)(30 wipes/pack)</p> <p>Peak Medical Ltd: Offmate Stoma Adhesive Remover (30 wipes/pack)</p> <p>Medicareplus International Ltd: Medi Lifteez non sting medical Adhesive remover (30 sachets/pack)</p>	<p>083-01</p> <p>5507 5506</p> <p>WAP</p> <p>OPA50 OPB50 OPM50 OPN50</p> <p>WAP2</p> <p>OM30</p> <p>60321</p>	<p>1-4 cans (50ml/can) depending on frequency of bag changes</p> <p>30 – 60 wipes depending on frequency of bag changes</p>	<ul style="list-style-type: none"> • Sprays preferred to wipes unless the patient is very arthritic. • Use each time the bag or flange is changed. • Drainable bags will require fewer sprays. • Wipes are more expensive but may be required for adhesive build up. • Urostomy patients may require wipes as well as sprays since urine can erode the appliance seal and the texture of wipes can aid removal.
<p>DEODORANTS (Price capped at £4.50)</p> <p>Respond Healthcare Ltd: OstoMart OstoMist Odour Neutraliser drops (50ml) Gardenia with Jasmine Drops Mint Drops Tangerine Drops</p>	<p>GJN50 SPN5 TGN50</p>	<p>If prescribed then issue a maximum of 1 per month. 1-2 drops per bag change or at emptying</p>	<ul style="list-style-type: none"> • Deodorant sprays are small volumes and expensive. • Advise patient to purchase household air freshener • <u>if a patient uses a Deodorising Spray/Air Freshener, it should be sprayed into the air, it must NOT be sprayed directly into the stoma bag</u> • Specialist stoma nurses may recommend odour neutralising deodorant drops for selected patients which are a concentrated solution. These provide a longer acting deodorising effect than sprays and are more discreet.

<p>LUBRICATING DEODORANT GELS (Price capped at £8.10)</p> <p>Opus Healthcare: DeoGel Deodorising & Lubricating Gel (200ml)</p> <p>Respond Healthcare Ltd: OstoMart OstoZyme Odour Neutralising Lubricating Gel sachets (30 x 8ml/pack)</p>	<p>2010</p> <p>TCB3</p>	<p>1 per month One squirt from bottle or ½ to 1 sachet to be applied into pouch at each pouch change (usually only used for a Colostomy)</p>	<ul style="list-style-type: none"> Lubricating deodorant gels may be recommended by stoma care nurses to prevent “pancaking” although a few drops of baby oil or olive oil may suffice. Stoma nurses may advise to apply a scrunched up tissue into the pouch, please refer for advice regarding this.
<p>DISCHARGE SOLIDIFYING AGENTS (Price capped at £46.50)</p> <p>Respond Healthcare Ltd: OstoMart OstoSorb (30 x 3g sachets)</p> <p>Opus Healthcare: AbsorbaGel (150 sachets/pack)</p>	<p>PFW5</p> <p>9900</p>	<p>Up to 150 sachets – maximum of one sachet each time the bag is drained</p>	<p><u>Only prescribe on the advice of a stoma nurse.</u></p> <p>Note: these are expensive and are heavily promoted to patients. Reserve for high output stomas.</p> <ul style="list-style-type: none"> For use by ileostomy patients with high output stomas. Rarely patients may require more sachets per month (if draining bag 5/6 times a day) and rarely a colostomy patient may require the product. Loperamide in conjunction with advice on fluid intake and diet by the stoma nurses may be more appropriate in some patients.

Bowel/Stoma Nurse contact numbers: Helen Taylor (UHCW): 02476 965616
Helen.taylor@uhcw.nhs.uk

Denise Humphrey (Warwick): 01926 495321 Ext: 4504
denise.humphrey@swft.nhs.uk

Victoria Trory (George Eliot): 02476 865110
victoria.trory@geh.nhs.uk